

- Big data challenge, 339  
 cloud-based big data, 340  
 models in big data environment, 341  
 BoniRob, 166–167
- C**
- CAAS, *see* Chinese Academy of Agricultural Sciences (CAAS)  
 CAC, *see* Codex Alimentarius Commission (CAC)  
 CAICT, *see* Chinese Academy of Information and Communication Technology (CAICT)
- Calibration equation, 42
- CAN, *see* Controller area network (CAN)
- Canopy chlorophyll content index (CCCI), 37
- Canopy chlorophyll density (CCD), 57
- Canopy N density (CND), 57
- Canopy nitrogen density estimation, 63–68
- CCCI, *see* Canopy chlorophyll content index (CCCI)
- CCD, *see* Canopy chlorophyll density (CCD); Charge-coupled device (CCD)
- CERES-Wheat model, 77, 78–79, 80–81
- Charge-coupled device (CCD), 106, 141
- Chemical injection with carrier control, 187–188
- China, PA in, 231  
 crop growth detection and physiological parameters, 237–247  
 cultivated land, 232  
 key technologies of agricultural information perception, 233  
 rapid acquisition of soil information in farmland, 233–237
- Chinese Academy of Agricultural Sciences (CAAS), 251
- Chinese Academy of Information and Communication Technology (CAICT), 247
- Chlorophyll  
 chlorophyll/greenness sensors, 179  
 in crops, 57  
 meter readings, 28
- Claas system, 40, 41
- Closed-loop control system, 156
- Cloud computing, 292
- CMOS, *see* Complementary metal–oxide semiconductor (CMOS)
- CND, *see* Canopy N density (CND)
- Codex Alimentarius Commission (CAC), 281
- Coefficient of variation (CV), 27, 99
- Collection device, 61–62
- Commercial autonomous machines, 168
- Commercial field machine-based canopy reflectance systems, 41
- Community-based precision agriculture  
 AMF, 226–227  
 in Indonesia, 221–222
- Japanese government statistics, 214
- learning group of farmers, 218–221
- position of Japanese agriculture, 214
- precision agriculture, 213
- precision restoring approach, 222–226
- profitable farm sizes, 218
- regional farming system, 215
- rural development, 217
- strategy, 217
- structure, 216
- Complementary metal–oxide semiconductor (CMOS), 141
- Condition monitoring systems, 148–149
- Continuous wavelet transform (CWT), 57
- Contour mapping, 310
- Control algorithms, 22, 24  
 applications and concepts, 28–29  
 combined use of yield potential, 27  
 components, 24–28  
 RI, 26–27  
 sensor-based algorithms for fertilizer nitrogen, 24  
 sufficiency, 28  
 yield goal, 24–25  
 yield potential, 26
- Control for precision agriculture, 111  
 feedback control, 116–121  
 prescriptive control, 112–115  
 production management system, 111–112  
 responsive control, 115–116
- Control layer, 155
- Controlled variable, 22
- Controller area network (CAN), 304
- Controller error, 156
- Conventional PA technology, 21
- Conventional techniques, 56
- Core area, 94
- Corn production management expert system, 264, 266
- Cotton root rot, 191
- Cranberry production, 199
- Crop  
 fields, 121  
 flow meters, 33  
 foliage, 189  
 growth, 280  
 growth detector development, 239–241  
 information detection, 238–239  
 irrigation, 22
- CROP-Meter measurements, 190
- Crop canopy reflectance sensing, 34  
 application, 37–40  
 canopy sensing implementations for field applications, 40–43  
 field machine-based canopy reflectance systems, 41  
 interference filter bandwidths, 45

- ISR, 39
  - LED transmitted bandwidths, 45
  - monochromatic LEDs, 41
  - optical geometry, 43
  - relationship between NDVI-based INSEY index and yield, 39
  - satellite-and aircraft-borne sensing systems, 41
  - sensor mounting geometries, 42
  - spectral indices and relationship to crop management, 34–37
  - spectral reflectance response to higher levels of nitrogen fertilization, 38
  - weed detection and spot spraying of weeds, 40
  - Crop canopy sensor, 184
  - Crop chlorophyll and nitrogen content inversion, 63; *see also* Remote sensing
    - canopy spectral measurements, 64
    - correlation analysis between spectral indices and chlorophyll content, 70, 73
    - crop nutrition evaluation and growth status, 74–76
    - estimation of crop vertical chlorophyll content, 68–74
    - experiment and data collection, 63–64, 68–71
    - hyperspectral reflectance of maize leaves, 72
    - nitrogen content distribution with remote sensing, 68–74
    - Pearson's correlation coefficients, 65, 67, 69
    - plots of measured vs. predicted chlorophyll content, 74
    - results and conclusions, 64–68, 71–74
    - wavelet features, 73
    - wheat leaf nitrogen concentration and canopy nitrogen density estimation, 63–68
  - Crop condition sensing, 290; *see also* Good agricultural practices (GAP)
    - crop characteristics, 291
    - hyperspectral image, 292
  - Crop growth detection and physiological parameters, 237
    - crop growth detector development, 239–241
    - crop information detection, 238–239
    - flowchart of main program, 238
    - hand-held crop growth detector development, 241–245
    - subroutines in software, 239
    - vehicle-mounted four-waveband crop growth detection system development, 245–247
  - Crop LAI estimation, 59, 76; *see also* Remote sensing
    - data assimilation mode integrating observations, 78
    - estimation results of EnKF assimilation algorithms, 80
    - experiment and data collection, 77
    - LAI dynamic changing information, 81
    - methods, 78–79
    - results and analysis, 79–81
    - scatter plots of observed LAI and EnKF-assimilated LAI, 80
  - Crop management, 313
    - algorithms of site-specific primary tillage, 315
    - application in fertilization, 316–321
    - application in irrigation, 323–325
    - application in plant protection, 321–323
    - harvesting, 325–327
    - planting, 315–316
    - seeding, 315–316
    - site-specific in precision agriculture, 314
    - tillage, 314–315
  - Crop pest management, 200–202
  - Crop protection, 125, 286
    - application equipment, 288–289
    - pest and disease management, 287–288
    - weed control, 286–287
  - Crop water estimation and inversion, 81; *see also* Remote sensing
    - experiment and data collection, 81
    - methods and analysis, 81–82
    - model application, 84
    - nonlinear regression of LWC, 83
    - relationship between LWC, 84
    - results, 82–84
    - selected vegetation indices, wavebands, and references, 82
    - spectral variables for the GRA-PLS model implementation, 83
  - Crop yield distribution
    - with combine harvester, 88
    - comparison of spatial distribution characteristics, 88–89
    - experiments and data collection, 88
    - parameters of semivariance model, 89
  - Cruise control systems, 326
  - Cultivated land, 232
  - CV, *see* Coefficient of variation (CV)
  - CWT, *see* Continuous wavelet transform (CWT)
- ## D
- DAQ, *see* Data acquisition unit (DAQ)
  - Data acquisition data analysis, 307
    - process data acquisition system, 308
    - soil mapping, 308
    - weather monitoring, 311
    - yield mapping, 308–311
  - Data acquisition unit (DAQ), 184
  - Data processing, 307
  - DD index, *see* Double difference index (DD index)
  - Decision support system (DSS), 251, 287
  - Deflection plate-based sensor, 32
  - DGPS, *see* Differential global positioning system (DGPS)

Diagnosis decision-making expert system, 264  
 corn production management, 264, 266  
 wheat production management, 264, 265  
 Difference vegetation index (DVI), 64, 238  
 Differential global positioning system (DGPS),  
 60, 197  
 Dissolved reactive phosphorus (DRP), 183  
 Double difference index (DD index), 71  
 DRP, *see* Dissolved reactive phosphorus (DRP)  
 DSS, *see* Decision support system (DSS)  
 DVI, *see* Difference vegetation index (DVI)  
 Dynamic tracking system, 272  
 agricultural machines, 272, 273  
 Map Search toolset, 273  
 production archive details, 274  
 production archive query, 273

## E

EC, *see* Electrical conductivity (EC)  
 Eco-farmers, 218  
 Ecotone, 94  
 ECU, *see* Electronic control units (ECU)  
 Education for sustainable development  
 (ESD), 221  
 EIPRO, *see* Environmental impacts of products  
 (EIPRO)  
 Electrical conductivity (EC), 183  
 Electronic control units (ECU), 135, 304  
 Electronics, 22, 302–303  
 Engineering process control (EPC), 294  
 Ensemble Kalman filtering (EnKF), 77  
 Environmental impacts of products (EIPRO), 285  
 Environmental protection, 283  
 EPC, *see* Engineering process control (EPC)  
 ES, *see* Expert system (ES)  
 ESAM, *see* Extended spectral angle mapping  
 (ESAM)  
 ESD, *see* Education for sustainable development  
 (ESD)  
 European Food Law, 282  
 European Food Sustainable Consumption and  
 Production (SCP), 285  
 Expert system (ES), 264  
 Extended spectral angle mapping (ESAM), 201

## F

FAO, *see* Food and Agriculture Organization  
 (FAO)  
 Farm-gate regimes, 311  
 Farmers, 301–302  
 Farming by balance, 316  
 Farmland  
 information management platform, 262  
 information perception, 233  
 soil moisture monitoring system in, 252–254

Farmland data acquisition by machine, 59  
 automatic soil collection system, 62  
 crop yield information acquisition, 59–60  
 DGPS, 60  
 soil information sampling and recording  
 system, 61  
 soil nutrition data acquisition, 61–62  
 yield estimation system on axial-flow-type  
 combine harvester, 60  
 Farm management, 306; *see also* Precision  
 agriculture (PA)  
 administration, 311–312  
 data acquisition and data analysis, 307–311  
 data handling systems, 307  
 information-driven, 306  
 on-farm research, 312  
 quality management, 312–313  
 Farm management information systems  
 (FMIS), 47  
 Farm management system (FMS), 308  
 Fast close (FC), 123  
 Fault detection and diagnosis systems, *see*  
 Condition monitoring systems  
 FC, *see* Fast close (FC)  
 Feature-based approach, 142  
 Feedback control, 116  
 closed-loop feedback control scheme, 117  
 crop fields, 121  
 dynamic response of system output to set  
 point, 118  
 observability, 119, 120  
 PA control shares, 118  
 set of time behaviors, 117  
 visually detectable growth condition  
 difference of corn plants, 119  
 Feed distribution systems, 137  
 Fertilization, application in, 316  
 all-in-all fertilization, 320–321  
 by balance, 316–317  
 by growth, 317–319  
 organic fertilization, 319–320  
 by sustainability, 319  
 theoretical approaches, 317  
 truck-mounted multibin fertilizer air  
 spreader, 318  
 Fertilizer application, 180  
 Field  
 boundary irregularities, 152  
 canopy reflectance measuring systems, 40  
 coverage, 151  
 crop production, automation for, 138–139  
 decomposition, 151  
 robots, 336  
 Field information acquisition, 252  
 agricultural IoT and, 252  
 integrated agricultural information  
 monitoring, 254–255

precision management system, 254–255  
 soil moisture monitoring system, 252–254  
 Field information collection system, 268  
 Field of view (FOV), 64  
 FMIS, *see* Farm management information systems (FMIS)  
 FMS, *see* Farm management system (FMS)  
 FOC, *see* Full operational capability (FOC)  
 Food and Agriculture Organization (FAO), 281  
 Food safety, 280, 283  
   international institutions with, 281–282  
   internationally acknowledged food safety systems, 282–283  
 Food Safety System Certification standard (FSSC), 282  
 Force-based crop flow meters, 33  
 Four-wheel drive (4WD), 136, 158  
 Four-wheel steering (4WS), 136, 158  
 4WS/4WD robot, 166  
 FOV, *see* Field of view (FOV)  
 FPI, *see* Fuzziness performance index (FPI)  
 FroboMind architecture, 163–165  
 FS 22000, 282  
 FSSC, *see* Food Safety System Certification standard (FSSC)  
 Full operational capability (FOC), 305  
 Fungicide application, 189–191  
 Fuzziness performance index (FPI), 98

## G

GAP, *see* Good agricultural practices (GAP)  
 Georeferenced sensing, 106, 107  
 Geographic Information System (GIS), 61, 178, 179, 217, 233, 271–272  
 Georeferenced yield monitoring, 29  
 GFSI, *see* Global Food Safety Initiative (GFSI)  
 GIS, *see* Geographic Information System (GIS)  
 Global Food Safety Initiative (GFSI), 282  
 GlobalGAP scheme, 282–283  
   control points in fruit and vegetables checklist, 284  
 Global navigation satellite system (GNSS), 21, 135, 233, 305, 306  
 Global positioning satellite (GPS), 4, 6  
 Global positioning system (GPS), 21, 106, 143, 161, 178, 179, 233, 285  
 GNDVI, *see* Green normalized difference vegetation index (GNDVI)  
 GNSS, *see* Global navigation satellite system (GNSS)  
 Good agricultural practices (GAP), 280  
   chain of traceability, 292  
   GlobalGAP scheme, 282–283  
   high-quality food, 281  
   international institutions with food safety, 281–282

internationally acknowledged food safety systems, 282–283  
 meeting traceability requirement, 285–290  
 model-based statistical process control, 294  
 PA, 283–285  
 variability modeling and traceability, 292–294  
 GPS-based soil maps, 178–179  
 GPS, *see* Global positioning satellite (GPS);  
   Global positioning system (GPS)  
 GRA–PLS, *see* Gray relational analysis–partial least squares (GRA–PLS)  
 Gray relational analysis–partial least squares (GRA–PLS), 81  
 Greenhouse plant production systems, 138  
 Green normalized difference vegetation index (GNDVI), 64  
 GreenSeeker sensor, 10, 184  
 Grid sampling strategies, 6  
 Guidance systems, 333

## H

HACCP, *see* Hazard analysis and critical control points (HACCP)  
 Hand-held crop growth detector development, 241  
   field test, 245  
   hardware design, 242–243  
   JN5139 wireless module, 243  
   software design, 243  
   software of controller, 244  
   software of sensor, 244  
   with Zigbee, 242  
 HARB, *see* Heilongjiang Agricultural Reclamation Bureau (HARB)  
 Harvest automation, 126–127  
 Harvesters, 302  
 Harvesting, 325  
   all-in-all, 326–327  
   guidance, 325–326  
   operation control, 326  
 Hazard analysis and critical control points (HACCP), 282  
 Heilongjiang Agricultural Reclamation Bureau (HARB), 270  
 Heilongjiang Province  
   agricultural machines straight navigation, 274  
   dynamic tracking system, 272–274  
   GIS, 271–272  
   precision agriculture in, 270  
   remote scheduling of field operations, 274  
   remote sensing image and data system, 271  
 Herbicide application, 188–189  
 HLB disease, *see* Huanglongbing disease (HLB disease)  
 Holland Scientific Crop Circle Sensor, 10  
 Honjo, 218  
 Honjo Precision Farming Society (HPFS), 218, 219

HPFS, *see* Honjo Precision Farming Society (HPFS)

Huanglongbing disease (HLB disease), 200, 201

Huantai Precision Agriculture Information Management, 254

Human perception, 139

Hyperspectral remote sensing, 74

**I**

ICT, *see* Information and communication technology (ICT)

ID, *see* Identification (ID)

Identification (ID), 218

IFS, *see* International Food Standard (IFS)

Image-based spot sprayer, 40

Implement control, 135, 136, 160–161, 302

Implement management systems (IMS), 160

IMS, *see* Implement management systems (IMS)

IMU, *see* Inertial measurement unit (IMU)

Indonesia, community-based approach in, 221–222

Inertial measurement unit (IMU), 143

Information and communication technology (ICT), 222, 257

INSEY, 10, 26

Instant Yield Map, 60

Integrated agricultural information monitoring, 254–255

Integrated pest management (IPM), 285, 287  
 application equipment, 288–289  
 pest and disease management, 287–288  
 weed control, 286–287

Intelligent agricultural equipment  
 automation system of agricultural machinery, 258  
 development and application, 257  
 laser-control land leveling system, 259–261  
 VRT application in agricultural machinery, 258–259

Intelligent agricultural machines, 161–162

Intelligent machine design framework, 134, 135;  
*see also* Autonomous vehicles and field robots; Perception sensors  
 automated agricultural machines, 134  
 hardware architecture, 135  
 machine awareness, 135–136  
 machine behavior, 136–137  
 machine perception, 136  
 multilayer design framework, 135  
 navigation control, 136  
 software and communications architectures, 135

Intelligent machines, 134, 137, 138; *see also*  
 Autonomous vehicles and field robots;  
 Perception sensors  
 automation for field crop production, 138–139  
 automation of irrigation systems, 137

automation technology, 137, 138  
 greenhouse plant production systems, 138

Intelligent production and measurement systems, 269–270

Intensity-based approach, 142

International Food Standard (IFS), 282

Internet of Things (IoT), 232; *see also*  
 Agricultural IoT

Inverse simple ratio (ISR), 39

IoT, *see* Internet of Things (IoT)

IPM, *see* Integrated pest management (IPM)

Irrigated agriculture, 193

Irrigation systems, 193, 323  
 automation of, 137  
 irrigation monitoring and control, 324–325  
 site-specific irrigation, 325  
 soil sensor network, 324

ISO 22000, 282

ISOBUS standard, 135  
 support for sensor systems, 47

ISR, *see* Inverse simple ratio (ISR)

iTEC Pro, 160–161

**J**

Japanese Society of Agricultural Machinery (JSAM), 223

Japan Science and Technology Agency (JST), 225

JAUGS Domain Model, *see* Joint Architecture for Unmanned Ground Systems Domain Model (JAUGS Domain Model)

JAUS, *see* Joint architecture for unmanned systems (JAUS)

John Deere Machine Sync, 155

Joint Architecture for Unmanned Ground Systems Domain Model (JAUGS Domain Model), 163

Joint architecture for unmanned systems (JAUS), 135

JSAM, *see* Japanese Society of Agricultural Machinery (JSAM)

JST, *see* Japan Science and Technology Agency (JST)

**K**

Kappa coefficient, 98

Knock-out criterion, 327

Kriging, 4, 5  
 interpolation, 88, 89, 91

**L**

Labor management, 332  
 all-in-all, 336–338  
 field robots, 336  
 guidance systems, 333

- large autonomous field robots, 337
  - leader–follower systems, 335–336
  - mechanical systems, 333–334
  - optical systems, 334
  - overall assessment, 334–335
  - satellite systems, 334
  - small autonomous field robots, 337
  - tools and implements, 332–333
  - Ladar, 143
  - LAI, *see* Leaf area index (LAI)
  - LAN, *see* Local area network (LAN)
  - Laser-control land leveling system, 259
    - China Agricultural University, 260
    - operation of laser land leveler, 261
    - principle diagram, 260
  - Laser, 142–143
  - LCD, *see* Liquid crystal display (LCD)
  - Leader–follower systems, 335–336
  - Leaf area index (LAI), 190
  - Leaf N concentration (LNC), 57
  - Leaf water content (LWC), 58
  - LED, *see* Light-emitting diode (LED)
  - LEPA, *see* Low-energy precision application (LEPA)
  - Lettuce production, 202–203
  - LiDAR, *see* Light detecting and ranging (LiDAR)
  - Lidar, 143
  - Light-emitting diode (LED), 234
  - Light detecting and ranging (LiDAR), 7
  - Linear quadratic regulator optimization (LQR optimization), 158
  - Liquid crystal display (LCD), 234
  - LMS151, 143
  - LNC, *see* Leaf N concentration (LNC)
  - Local area network (LAN), 248
  - Localization, 139
  - Location sensing, 305–306
  - Logic integrated circuits, 22
  - Low-energy precision application (LEPA), 195
  - LQR optimization, *see* Linear quadratic regulator optimization (LQR optimization)
  - LWC, *see* Leaf water content (LWC)
- M**
- M2M, *see* Man-to-machine (M2M)
  - Machine behavior, 136–137
    - John Deere’s Machine Sync, 155
    - machine coordination, 154–155
    - optimal path planning, 151–153
    - optimized vehicle routing, 153, 154
    - robotic behavior, 150
  - Machine coordination, 154–155
  - Machine health awareness, 147–148
    - for autonomous machine, 148
    - condition monitoring systems, 148–149
    - limitations, 149–150
    - planter monitors, 150
  - Machinery hiring, 331
  - Machinery management, 327
    - process monitoring, 329–330
    - remote service, 330–332
    - route planning, 327–329
    - system control, 330
  - Machinery rings, 327
  - Machine supervision, 137
  - Machine vision, 147
  - Man-to-machine (M2M), 303
  - Management decision in PA, 251–252
  - Management platform of agricultural information, 261
    - environmental database, 263
    - farmland information management platform, 262
    - production-related data, 261
  - Management zone (MZ), 85, 91; *see also* Precision management, prescriptions for
    - delineation of agricultural MZ, 97–99
    - extraction of MZ based on spatial contiguous clustering algorithm, 95–97
    - extraction of PA MZ based on multiyear yield data, 91–95
    - method for, 91
  - Manure handling, 301–302
  - Map-based boom section control systems, 159
  - Mass flow-based yield measuring systems, 30
    - crop flow meters, 33
    - deflection plate-based sensor, 32
    - equation, 30
    - volumetric flow rate, 32
    - weighing conveyor sensor, 31
  - Matheron’s approach, 4
  - Maximum residue levels (MRLs), 283
  - Maximum return to nitrogen (MRTN), 28
  - MCU, *see* Micro controller unit (MCU)
  - Mechanical systems, 333–334
  - Mechanical weeding, 322
  - Melsted, S. W., 3
  - MEMS, *see* Microelectromechanical systems (MEMS)
  - MESA, *see* Midelevation spray application (MESA)
  - Meteorological data, 263
  - Microbial safety, 289–290
  - Micro controller unit (MCU), 237
  - Microelectromechanical systems (MEMS), 248
  - MICS, *see* Mobile implement control systems (MICS)
  - Midelevation spray application (MESA), 195
  - Minimum noise fractionation (MNF), 90
  - Mission planning, 136–137
  - Mixture tuned matched filtering (MTMF), 201
  - MNF, *see* Minimum noise fractionation (MNF)

- Mobile implement control systems (MICS), 47  
 Mobile sensor suite, 200  
 Model-based statistical process control, 294  
 Modified partition entropy (MPE), 98  
 Monochromatic LEDs, 41  
 Monocular vision, 139, 141  
 MPE, *see* Modified partition entropy (MPE)  
 MRLs, *see* Maximum residue levels (MRLs)  
 MRTN, *see* Maximum return to nitrogen (MRTN)  
 MTMF, *see* Mixture tuned matched filtering (MTMF)  
 MTVI, *see* Multitemporal vegetation index (MTVI)  
 Multipurpose process controllers, 302  
 Multitemporal vegetation index (MTVI), 237  
 MZ, *see* Management zone (MZ)
- N**
- National Demonstration Base for Precision Agriculture, 266  
 airborne remote sensing platform  
 applications, 268–269  
 field information collection system, 268  
 intelligent production and measurement systems, 269–270  
 precision agriculture resource management GIS, 267–268  
 VRT control system, 267  
 National Engineering Research Center for Information Technology in Agriculture (NERCITA), 251, 256, 258, 260  
 Navigational Satellite Timing and Ranging (NAVSTAR), 305  
 Navigation and collision avoidance, 139  
 Navigation and machine control technologies, 155; *see also* Intelligent machines  
 bicycle model of tractor, 157  
 controls background, 155–156  
 implement control, 160–161  
 navigation control, 156–158  
 sprayer boom section control, 159–160  
 NAVSTAR, *see* Navigational Satellite Timing and Ranging (NAVSTAR)  
 NDGI, *see* Normalized differential green index (NDGI)  
 NDI, *see* Normalized difference index (NDI)  
 NDRE, *see* Normalized difference red edge index (NDRE)  
 NDVI, *see* Normalized difference vegetation index (NDVI)  
 NDWI, *see* Normalized difference water index (NDWI)  
 Near-infrared (NIR), 34, 57, 106  
 Near-infrared spectroscopy analysis (NIRS analysis), 233  
 Nectarine production, 199  
 NERCITA, *see* National Engineering Research Center for Information Technology in Agriculture (NERCITA)  
 “New Farmer 21”, 218  
 NIR, *see* Near-infrared (NIR)  
 NIRS analysis, *see* Near-infrared spectroscopy analysis (NIRS analysis)  
 Nitrate nitrogen (NN), 97  
 Nitrogen  
 in crops, 57–58  
 restrictions, 311  
 uptake, 37  
 Nitrogen fertilizing by growth, 317  
 crop growth sensors in nitrogen fertilizing systems, 318  
 online system, 319  
 precision fertilization, 318  
 Nitrogen reflectance index (NRI), 64  
 Nitrogen use efficiency (NUE), 23  
 Normalized difference index (NDI), 238  
 Normalized difference red edge index (NDRE), 37  
 Normalized difference vegetation index (NDVI), 10, 26, 64, 106, 184, 185, 237  
 Normalized difference water index (NDWI), 64  
 Normalized differential green index (NDGI), 238  
 N responsiveness, *see* Response index (RI)  
 NRI, *see* Nitrogen reflectance index (NRI)  
 NUE, *see* N use efficiency (NUE); Nitrogen use efficiency (NUE)  
 Nugget variance, 4  
 N use efficiency (NUE), 57  
 Nutrition management, 339
- O**
- Object recognition, 139  
 Observability, 119, 120  
 Observable data, 109  
 OC, *see* Organic carbon (OC)  
 Occupational health, safety, and welfare, 283  
 OM, *see* Organic matter (OM)  
 OMIS, *see* Operative modular imaging spectrometer (OMIS)  
 On-farm data processing, 302  
 On-farm research, 312  
 On-the-go crop nutrient stress sensing system, 123  
 Online system, 319  
 Open-loop control system, 156  
 Operative modular imaging spectrometer (OMIS), 75, 268  
 Operator-driven systems, 329  
 Optical and radiation-based yield measuring systems, 33  
 Optical fiber, crop growth detector development with, 239–241  
 Optical systems, 334

- Optic Mapper™, 11
- Optimal path planning, 151  
 algorithm, 152  
 in planar field, 152  
 on 3D terrain, 153  
 on 2D planar surface, 151–152
- Optimized soil-adjusted vegetation index (OSAVI), 64
- Optimized vehicle routing, 153, 154
- Organic carbon (OC), 44
- Organic fertilization, 319–320
- Organic matter (OM), 87
- OSAVI, *see* Optimized soil-adjusted vegetation index (OSAVI)
- P**
- PA, *see* Precision agriculture (PA)
- Particular phosphorus (PP), 183
- Patch density (PD), 93
- PCA, *see* Principal components analysis (PCA)
- PCR, *see* Polymerase chain reaction (PCR)
- PCs, *see* Personal computers (PCs)
- PD, *see* Patch density (PD)
- PDA, *see* Personal digital assistant (PDA)
- Pearson's correlation coefficients, 65, 67
- Peck, T. R., 3
- Penman–Monteith equation, 324
- Perception sensors, 139; *see also* Intelligent machines  
 active 3D range camera, 144  
 challenges and new development, 146, 147  
 cost, 146  
 electromagnetic spectrum and, 140  
 lidar, 143  
 laser, 142–143  
 lidar, 143  
 maintenance, 145–146  
 monocular vision, 139, 141  
 radar, 143  
 range, 144–145  
 ratings, 146  
 robust to dust, 145  
 robust to lighting, 145  
 selection, 144  
 stereo vision, 141–142  
 ultrasonic sensor, 143–144
- Personal computers (PCs), 302
- Personal digital assistant (PDA), 245, 247
- Pest control, 125–126
- Pesticides, 186  
 application, 197–199
- PFNET, *see* Precision Farming Network of Toyohashi-Atsumi (PFNET)
- Photochemical reflectance index (PRI), 64
- Photoelectric sensors, 188–189
- Photonic mixer device (PMD), 144
- PID controllers, *see* Proportional, integral, and differential controllers (PID controllers)
- Planter monitors, 150
- Planters, 302
- Planting, 122–123, 315–316
- Plant protection application, 321  
 all-in-all, 322–323  
 application technology, 322  
 mechanical weeding, 322  
 monitoring, 321
- Plant protection products (PPPs), 283
- Plugfests, 304
- PMD, *see* Photonic mixer device (PMD)
- Point-to-point network, 243
- Polymerase chain reaction (PCR), 200
- Portable soil total nitrogen detector development, 235  
 optical fiber and distribution of LEDs, 237  
 optical fiber structure, 236  
 Y-type fiber, 236
- Power-take-off engagement (PTO engagement), 161, 334
- PP, *see* Particular phosphorus (PP)
- PPPs, *see* Plant protection products (PPPs)
- Precision agriculture (PA), 1, 21, 103, 134, 177–178, 213, 232, 300; *see also* Community-based precision agriculture; Farm management  
 active-optical sensors, 11  
 GPS, 6  
 GreenSeeker sensor, 10  
 grid sampling strategies, 6  
 kriging, 5  
 precision farming sections and items, 301  
 in precision land use, 301  
 process diagram, 262  
 recommended sampling strategy, 3  
 representation, 104  
 residual soil nitrate, 8  
 resource management GIS, 267–268  
 site-specific weed control research, 12, 13  
 soil delineation tools, 9  
 Soil Doctor, 11  
 soil electrical transmittance properties, 9  
 soil P and K levels, 7  
 soil testing, 2  
 statistical tools, 4  
 technologies, 283  
 water movement through and over landscape, 7  
 yield monitor adoption for corn and soybeans, 12
- Precision agriculture implementation, 121  
 few scenarios of unwanted sprayer boom vibrations and/or waving, 124  
 harvest automation, 126–127  
 intelligent variable-rate applicator, 124  
 pest and weed control, 125–126



- Precision agriculture implementation (*Continued*)  
 planning and planting, 122–123  
 precision irrigation system, 125  
 robotic target sprayer for vineyard pest control, 125  
 VRA, 123–125
- Precision agriculture management zone  
 extraction, 91  
 changes in fragmentation degree of partition map, 92–95  
 changes in fragmentation index of partition map with scale, 94  
 changes in mean, standard deviation, and coefficient of variation, 92, 93  
 changes in reduction rate of variance, 92  
 changes in spatial consistency, 95  
 Kriging interpolation, 91  
 MZ generation, 91–92  
 partition map after filtering with different scales of window, 95  
 PD, 93  
 significant changes in lag differences, 92
- Precision crop farming, sensing technology for, 21  
 block diagram, 23  
 control algorithms, 24–29  
 crop canopy reflectance sensing, 34–43  
 crop production costs, 24  
 electronics and sensor systems, 22  
 ISOBUS support for sensor systems, 47  
 soil property sensing, 43–47  
 water use, 23–24  
 yield monitoring, 29–34
- Precision crop pest management, 186; *see also* Specialty crops  
 challenges and research needs, 191–193  
 variable-rate controllers, 187–188  
 variable-rate pesticide application methods, 186–187  
 variable-rate pest management activities, 188–191
- Precision Farming Network of Toyohashi-Atsumi (PFNET), 228
- Precision fertilizer, 197–199
- Precision fertilizer application, 180; *see also* Specialty crops  
 challenges and research needs, 185–186  
 equipment for fertilizer VRA, 180–182  
 map-based variable-rate liquid fertilizer applicator, 181  
 prescription map, 182  
 sensor-based variable-rate application system, 181  
 variable-rate fertilization practice, 182–185
- Precision irrigation system, 125
- Precision management system, 254–255  
 crop yield distribution with combine harvester, 88–89
- GIS, 85  
 key links in decision making, 85  
 kriging interpolation analysis of soil nutrition, 88  
 prescriptions, 84  
 procedures in decision making and prescription generation, 85–88  
 soil nutrition map generation, 87–88  
 spatial feature values of soil properties, 87  
 variable-rate fertilization, 86  
 yield map based on remote sensing, 89–91
- Precision restoring approach, 222  
 “food desert” phenomenon, 225  
 information-oriented field, 225–226  
 JSAM, 223  
 Ministry of Agriculture, Forestry and Fisheries, 224–225  
 national project of arable cultivation, 224
- Precision water management, 193; *see also* Specialty crops  
 application uniformity test, 195–196  
 challenges and research needs, 196–197  
 VRI, 193–194  
 VRI control, 194–195
- Prescription farming, *see* Farming by balance
- Prescription map, 182
- Prescriptive control, 112  
 enhanced open-loop prescription control system, 115  
 example yield response model of hybrid corn, 114  
 first-order-like nitrogen-to-yield model, 113  
 inverse transfer function, 114  
 open-loop prescription control system, 113  
 prescriptive crop production management, 112
- PRI, *see* Photochemical reflectance index (PRI)
- Principal components analysis (PCA), 90
- Process monitoring, 329–330
- Proportional, integral, and differential controllers (PID controllers), 157
- PTO engagement, *see* Power-take-off engagement (PTO engagement)
- Pulse width modulation (PWM), 182  
 applicator, 123
- PWM, *see* Pulse width modulation (PWM)
- Q**
- Quality management, 312–313
- R**
- Radar, 143
- Radiation-based mass detection, 33
- Radio-frequency identification (RFID), 248, 293
- Rapid effective nitrogen fertilizer, 319
- Ratio vegetation index (RVI), 237

- “Ready-to-use” commands, 111
  - Real-time sense and apply (RTSA), 21
  - Recording device, 61
  - Red-edge inflection point (REIP), 36
  - Red-edge position (REP), 64, 201
  - Reflectance, 42
  - REIP, *see* Red-edge inflection point (REIP)
  - Relative spectral response (RSR), 41
  - Remote irrigation monitoring and control system (RIMCS), 195
  - Remote scheduling of field operations, 274
  - Remote sensing, 106
  - Remote sensing techniques, acquisition of crop information based on, 56
    - chlorophyll in crops, 57
    - crop LAI, 59
    - leaf N content, 58
    - nitrogen in crops, 57–58
    - water content of crops, 58–59
    - water stress, 56–57
  - Remote service system, 330
    - all-in-all, 331–332
    - machinery hiring, 331
    - with manufacturer-service-database, 331
    - service hiring, 331
  - REP, *see* Red-edge position (REP)
  - Response index (RI), 26–27
  - Responsive control, 115–116
  - RFID, *see* Radio-frequency identification (RFID)
  - RI, *see* Response index (RI)
  - RIMCS, *see* Remote irrigation monitoring and control system (RIMCS)
  - RMSD, *see* Root mean square difference (RMSD)
  - RMSDEV, *see* Root mean squared deviation (RMSDEV)
  - RMSE, *see* Root mean square error (RMSE)
  - RMSS value, *see* Root-mean-square standardized value (RMSS value)
  - Robotic behavior, 150
  - Robotic fruit harvesting, 138
  - Robotics Operating System (ROS), 163, 165
  - Robotics software system architectures, 165
  - Robot machine form app roaches, 167–168
  - Robot operating system (ROS), 135
  - Robot system architectures, 162
  - Robust navigation control, 158
  - Root-mean-square standardized value (RMSS value), 87
  - Root mean squared deviation (RMSDEV), 202
  - Root mean square difference (RMSD), 198
  - Root mean square error (RMSE), 70
  - ROS, *see* Robot operating system (ROS); Robotics Operating System (ROS)
  - Route planning, 327
    - operator-driven systems, 329
    - in sugar beet production, 328
  - RSR, *see* Relative spectral response (RSR)
  - RTSA, *see* Real-time sense and apply (RTSA)
  - RVI, *see* Ratio vegetation index (RVI)
- ## S
- SAM, *see* Spectral angle mapping (SAM)
  - Sampling depth, 62
  - Sanitary and Phytosanitary agreement (SPS agreement), 282
  - Satellite imagery, 8–9
  - Satellite systems, 334
    - sensing systems, 41
  - SAVI, *see* Soil-adjusted vegetation index (SAVI)
  - SBC, *see* Single board computer (SBC)
  - SC-KM clustering algorithm, *see* Spatial contiguous K-means clustering algorithm (SC-KM clustering algorithm)
  - SCP, *see* European Food Sustainable Consumption and Production (SCP)
  - SCRI program, *see* Specialty crop research initiative program (SCRI program)
  - SDI, *see* Subsurface drip irrigation (SDI)
  - “Seed curve” search algorithm, 153
  - Seeding, 315–316
  - Self-propelling units, 304
  - Sensing for precision agriculture, 105
    - effectiveness of controlling precision crop production, 110
    - making data observable, 109–111
    - spatial sensing, 105–108
    - temporal changes of canopy NDVI values, 109
    - temporal sensing, 108–109
    - yield variation, 111
  - Sensors, 302–303
    - fusion, 136
    - sensor-based algorithms for fertilizer nitrogen, 24
    - systems, 22
  - Service hiring, 331
  - Shelf life prediction, 293
  - Short-wave near-infrared bands (SWIR bands), 84
  - SICK, 143
  - SID, *see* Spectral information divergence (SID)
  - SiGe, *see* Silicon germanium (SiGe)
  - Signal process circuit, 246
  - Silicon germanium (SiGe), 143
  - Simple ratio (SR), 36
  - Single board computer (SBC), 195
  - SIPI, *see* Structure insensitive pigment index (SIPI)
  - Site-specific crop management (SSCM), 286
  - Site-specific irrigation, 325
  - Site-specific management zones (SSMZ), 183
  - Site-specific variable rate irrigation (SS-VRI), 325
  - Site-specific weed control research, 12, 13
  - Small field robots in research, 165–167

- Soil
  - delineation tools, 9
  - EC sensor, 184
  - electrical transmittance properties, 9
  - information sampling system, 61
  - mapping, 308
  - moisture, 314–315
  - organic matter content detector development, 234–235
  - parameter data, 263
  - sampling, 2
  - strength measuring systems, 46
  - testing, 2
- Soil-adjusted vegetation index (SAVI), 64
- Soil Doctor, 11
- Soil information rapid acquisition in farmland, 233
  - NIRS analysis, 233
  - portable soil total nitrogen detector development, 235–237
  - soil organic matter content detector development, 234–235
- Soil moisture monitoring system, 252
  - Huantai Precision Agriculture Information Management, 254
  - on IoT, 253
- Soil nutrition
  - data acquisition, 61–62
  - experiment and data collection, 87
  - interpolation, 87–88
  - map generation, 87
  - soil nutrition interpolation, 87–88
  - spatial structure analysis of soil nutrition, 87
- Soil property sensing, 43
  - crop performance, 43
  - pH sensing, 47
  - soil strength measuring systems, 46
  - temporal variability of soil nutrients, 44
- Solid set canopy delivery system (SSCD system), 198
- Spatial contiguous clustering algorithm
  - extraction of MZs based on, 95
  - SC-KM clustering algorithm, 96
  - selection of MZ parameters, 96
  - study area and data sources, 96
- Spatial contiguous K-means clustering algorithm (SC-KM clustering algorithm), 96
- Spatial distribution of soil fertility, 61
- Spatial sensing, 105
  - georeferenced sensing, 106, 107
  - high and low yields, 106
  - remote sensing, 106
  - soil characteristics, 107
  - soil properties, 105
- Spatial structure analysis of soil nutrition, 87
- SPC, *see* Statistical process control (SPC)
- Specialty crop research initiative program (SCRI program), 203
- Specialty crops, 197; *see also* Precision fertilizer application
  - challenges and research needs, 203
  - crop pest management, 200–202
  - pesticides application, 197–199
  - precision fertilizer, 197–199
  - precision technologies for, 197
  - related studies for specialty crops, 202–203
  - water management, 199–200
- Spectral angle mapping (SAM), 201
- Spectral indices
  - combine-derived yield map, 35
  - NDRE, 37
  - NDVI, 34, 36
  - REIP, 36–37
  - and relationship to crop management, 34
  - spectral reflectance of wheat and soil, 35
- Spectral variation in Oklahoma soils, 37
- SR, 36
- Spectral information divergence (SID), 201
- Spectroscopy, 237–238
- Sprayers, 302
  - boom section control, 159–160
- Spray technology, 323
- Sprinkler irrigation systems, 195
- SPS agreement, *see* Sanitary and Phytosanitary agreement (SPS agreement)
- SR, *see* Simple ratio (SR)
- SS-VRI, *see* Site-specific variable rate irrigation (SS-VRI)
- SSCD system, *see* Solid set canopy delivery system (SSCD system)
- SSCM, *see* Site-specific crop management (SSCM)
- SSMZ-CYG, *see* SSMZ using constant yield goal (SSMZ-CYG)
- SSMZ-VYG, *see* SSMZ using variable yield goal (SSMZ-VYG)
- SSMZ, *see* Site-specific management zones (SSMZ)
- SSMZ using constant yield goal (SSMZ-CYG), 183
- SSMZ using variable yield goal (SSMZ-VYG), 183
- Standardized electronic communication, 303
  - agricultural BUS-system, 304
  - agricultural BUS-system ISO 11783, 305
  - German DIN organization, 304
  - mobile multipurpose agricultural process, 303
  - OSI model, 304–305
- Statistical process control (SPC), 294
- Stereo matching, 142
- Stereo vision, 141–142
- Straight navigation system, 274
- Structure insensitive pigment index (SIPI), 64
- Subsurface drip irrigation (SDI), 199
- Sufficiency, 28
- Supplementary fertilization, 86
- Sustainability, 341–342

- Sustainable agriculture, 342
- SWIR bands, *see* Short-wave near-infrared bands (SWIR bands)
- System and software architecture, 161; *see also* Autonomous vehicles and field robots
- architectural thinking, 162
  - for autonomous tractor, 162
  - FroboMind architecture, 163–165
  - hierarchical relationships, 163
  - intelligent agricultural machines, 161–162
  - JAUGS Domain Model, 163
  - robotics software system architectures, 165
  - robot system architectures, 162
  - ROS, 163
  - vehicle coordination, 165
- System control, 330
- System integration and application, 257; *see also* Precision agriculture (PA)
- diagnosis decision-making expert system, 264–266
  - intelligent agricultural equipment development and application, 257–261
  - management platform of agricultural information, 261–263
  - National Demonstration Base for Precision Agriculture in Beijing, 266–270
  - precision agriculture in Heilongjiang Province, 270–274
- T**
- Task controller (TC), 319
- TC, *see* Task controller (TC)
- TCARI, *see* Transformed chlorophyll absorption in reflectance index (TCARI)
- Temporal sensing, 108–109
- Thematic map, 263
- Thematic mapper data (TM data), 84
- Three-band algorithm, 82
- Tillage, 314–315
- TIM, *see* Tractor implement management (TIM)
- Time-of-flight principle (ToF principle), 142–143
- TM data, *see* Thematic mapper data (TM data)
- TN, *see* Total nitrogen (TN)
- ToF principle, *see* Time-of-flight principle (ToF principle)
- Tokyo University of Agriculture and Technology (TUAT), 225
- Total nitrogen (TN), 75
- Total phosphorus (TP), 220
- Toyohashi, 220
- Toyohashi PF-net Society, *see* Toyohashi Precision Farming Network Society (Toyohashi PF-net Society)
- Toyohashi Precision Farming Network Society (Toyohashi PF-net Society), 220
- Traceability, 292–294
- chain of, 292
  - crop protection, 286–289
  - fertilizer application, 286
  - IPM, 286–289
  - microbial safety, 289–290
  - requirement, 285
  - site history and site management, 286
- Tractor implement management (TIM), 340
- Tractors, 302
- Transformed chlorophyll absorption in reflectance index (TCARI), 64
- Traveling salesman problem (TSP), 151
- Trimble units, 40, 41
- TSP, *see* Traveling salesman problem (TSP)
- TUAT, *see* Tokyo University of Agriculture and Technology (TUAT)
- U**
- UAV, *see* Unmanned aerial vehicle (UAV)
- Ultrasonic sensor, 143–144
- Unmanned aerial vehicle (UAV), 202, 321
- User terminals (UT), 319
- UT, *see* User terminals (UT)
- V**
- Variability modeling, 292–294
- Variable-rate application (VRA), 105, 123–125, 178, 180
- equipment for fertilizer, 180
  - map-based variable-rate liquid fertilizer applicator, 181
  - PWM, 182
  - sensor-based variable-rate application system, 181
- Variable-rate controllers, 187–188
- Variable-rate fertilization, 86
- Variable-rate fertilization practice, 182
- crop canopy sensor and soil EC sensor, 184
  - economic feasibility of variable-rate N application, 183
  - grain yield potential of winter wheat, 185
  - on-farm study, 185
  - real-time sensing and control system, 184
  - impact of variable-rate fertilization, 183
- Variable-rate irrigation (VRI), 193–194
- application uniformity test, 195–196
  - challenges and research needs, 196–197
  - control, 194–195
- Variable-rate pesticide application methods, 186–187
- Variable-rate pest management activities
- fungicide application, 189–191
  - herbicide application, 188–189

Variable-rate technology (VRT), 11, 123, 177–178, 179, 258  
 application in agricultural machinery, 258–259

VDI, *see* Vegetation dry index (VDI)

Vegetation dry index (VDI), 81

Vegetation indices (VIs), 34, 106

Vehicle-mounted four-waveband crop growth detection system development, 245  
 advantages of four-waveband crop growth detection system, 246–247  
 vehicle-mounted crop detection system, 246

Vehicle routing problem (VRP), 154

VIs, *see* Vegetation indices (VIs)

VRA, *see* Variable-rate application (VRA)

VRI, *see* Variable-rate irrigation (VRI)

VRP, *see* Vehicle routing problem (VRP)

VRT, *see* Variable-rate technology (VRT)

**W**

Water  
 content of crops, 58–59  
 management, 199–200  
 resources data, 263  
 stress, 56–57

Water band index (WBI), 64

WBI, *see* Water band index (WBI)

Weather monitoring, 311

Weed control, 125–126

Weeding robot, 166

Weedseeker<sup>®</sup>, 40

Weighing conveyor sensor, 31

Wheat leaf nitrogen concentration, 63–68

Wheat production management expert system, 264, 265

WHO, *see* World Health Organization (WHO)

Wi-Fi, *see* Wireless fidelity (Wi-Fi)

Wireless fidelity (Wi-Fi), 248

Wireless sensor network (WSN), 241, 249–250

World Health Organization (WHO), 281

World Trade Organization (WTO), 282

WSN, *see* Wireless sensor network (WSN)

WTO, *see* World Trade Organization (WTO)

**Y**

Yield  
 goal, 24–25  
 potential, 26, 38  
 sensor types, 29  
 Yield Check, 91  
 Yield Editor, 91

Yield map(s), 34  
 based on remote sensing, 89  
 based on remote sensing, 89–91  
 combine-derived, 35  
 construction of yield estimation model using remote sensing technology, 90  
 experiments and data collection, 90  
 results of yield estimation based on remote sensing and actual yield measurement, 90, 91

Yield mapping, 308; *see also* Soil—mapping  
 contour mapping, 310  
 in contour shape and grid shape, 309  
 farm-specific strategies, 310–311  
 grid mapping, 309  
 nitrogen residuals, 310  
 yield monitors in harvesting technologies, 309

Yield monitoring, 29  
 mass flow-based yield measuring systems, 30–33  
 optical and radiation-based yield measuring systems, 33  
 variables in yield monitoring equations, 30  
 yield maps, 34  
 yield sensor types, 29

**Z**

Zeltex model, 11