



SOFTWARE TOOL ARTICLE

REVISED ESforRPD2: Expert System for Rice Plant Disease**Diagnosis [version 3; peer review: 2 approved]**

Fahrul Agus ¹, Muh. Ihsan¹, Dyna Marisa Khairina¹,
Krishna Purnawan Candra ²

¹GIS and Environment Modelling Lab. CSIT, Mulawarman University, Samarinda, East Kalimantan, 75242, Indonesia

²Department of Agricultural Product Technology, Faculty of Agriculture, Mulawarman University, Samarinda, 75123, Indonesia

V3 **First published:** 06 Dec 2018, 7:1902
<https://doi.org/10.12688/f1000research.16657.1>
Second version: 21 Feb 2019, 7:1902
<https://doi.org/10.12688/f1000research.16657.2>
Latest published: 11 Jul 2024, 7:1902
<https://doi.org/10.12688/f1000research.16657.3>

Abstract

One of the factors causing rice production disturbance in Indonesia is that farmers lack knowledge of early symptoms of rice plant diseases. These diseases are increasingly rampant because of the lack of experts. This study aimed to overcome this problem by providing an Expert System that helps farmers to make an early diagnosis of rice plant diseases.







Data of rice plant pests and diseases in 2016 were taken from Samarinda, East Kalimantan, Indonesia using an in-depth survey, and rice experts from the Department of Food Crops and Horticulture of East Kalimantan Province were recruited for the project. The Expert System for Rice Plant Disease Diagnosis, ESforRPD2, was developed based on the pest and disease experiences of the rice experts and uses a Waterfall Paradigm and Unified Modeling Language. This Expert System can detect 48 symptoms and 8 types of diseases of rice plants from 16 data tests with a sensitivity of 87.5%. The system can also provide recommendations for the treatment of identified diseases.


ESforRPD2 is available in Indonesian at
<http://esforrp2.blog.unmul.ac.id>

Keywords

Expert System, Rice Plant Disease, Waterfall, Unified Modelling Language

Open Peer Review**Approval Status**  

	1	2
version 3 (revision) 11 Jul 2024		 view
version 2 (revision) 21 Feb 2019	 view	  view
version 1 06 Dec 2018	  view	

1. **Yi Fang** , University of Georgia, Athens, USA

2. **Marimin Marimin**, IPB University (Bogor Agricultural University), Bogor, Indonesia

Any reports and responses or comments on the article can be found at the end of the article.



This article is included in the **Agriculture, Food and Nutrition** gateway.



This article is included in the **ICTROPS 2018** collection.

Corresponding author: Fahrul Agus (fahrulagus@unmul.ac.id)

Author roles: **Agus F:** Conceptualization, Funding Acquisition, Supervision, Writing – Original Draft Preparation, Writing – Review & Editing; **Ihsan M:** Data Curation, Formal Analysis, Writing – Original Draft Preparation; **Marisa Khairina D:** Supervision; **Candra KP:** Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2024 Agus F *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Agus F, Ihsan M, Marisa Khairina D and Candra KP. **ESforRPD2: Expert System for Rice Plant Disease Diagnosis [version 3; peer review: 2 approved]** F1000Research 2024, 7:1902 <https://doi.org/10.12688/f1000research.16657.3>

First published: 06 Dec 2018, 7:1902 <https://doi.org/10.12688/f1000research.16657.1>

REVISED Amendments from Version 2

The sentence "The system can also provide recommendations for the treatment of identified diseases" was inserted at the end of the abstract.

To explain knowledge-based development, we added the sentence "The construction of the knowledge-based system employs the Dempster-Shafer approach" in the Data collection and ES development sections.

We have also added the sentence "in a bilingual interface that combines both English and Indonesian" in the Implementation section.

Any further responses from the reviewers can be found at the end of the article

Introduction

Correct diagnosis of symptoms in rice plant diseases, caused by bacteria, nematodes, fungi, phytoplasmal and viruses¹⁻⁴, is very critical in supporting the productivity of rice plants. However, many regions in Indonesia have a huge problem because of a limited number of rice plant pathologists. The large plantation area of rice plants is also a problem due to logistical issues when visiting these sites, leading to difficulty obtaining disease evidence.

Along with other rapid technological developments, a technology known as Expert System (ES)⁵⁻⁸ has been developed to solve health⁹⁻¹², education¹³, business¹⁴, and agriculture^{15,16}, problems. ES is usually designed for a specific condition, i.e. variables of climate in cases of agriculture. This article proposes a new software based on ES for the diagnosis of disease in rice plants in the Samarinda region, Indonesia. Waterfall Paradigm was applied in designing this ES. The prototype, Expert System for Rice Plant Disease Diagnosis (ESforRPD2) is available at: <http://esforrp2.blog.unmul.ac.id>.

Methods

Data collection and ES development

The ES of rice plant disease diagnosis was designed to help farmers and agricultural officials to diagnose rice plant diseases occurring in the Samarinda region, East Kalimantan province, Indonesia. Rice plant experts were recruited from the Seed Technology Development Division at the Department of Food Crops and Horticulture of East Kalimantan Province and from the Department of Agro-eco-technology of Agricultural Faculty of Mulawarman University (one expert from each). The experts were the primary source for information on rice plant symptoms and diseases. The two rice plant experts have experience in diagnosing rice plant disease in the region of East Kalimantan Province for 20 years. Symptoms and diseases specific for rice plant and their relationships (and their ranked importance) were derived from the experts by questionnaire (Supplementary File 1). This allows the ES to be specific for rice plant diseases diagnosis. This information was then used to construct the knowledge base for building the ES software.

The ES software was developed using the Waterfall paradigm as recommended by Sommerville¹⁷ using five stages, i.e. (i) planning and requirement, (ii) analysis and software design, (iii) implementation and unit testing, (iv) integration and (v) system testing and operation and maintenance. ES architecture consists of three parts, namely the user interface, the inference engine and the knowledge base as proposed by Lucas and van der Gaag⁷. The user interface is used as a consulting interface in order to obtain knowledge and advice from the ES, which would be like consulting an expert. In this ES, the inference engine works as a consultation system in processing input data to build a diagnosis based on the knowledge base developed. The construction of the knowledge-based system employs the Dempster-Shafer approach.

Implementation

The implementation of the ESforRPD2 application is based on Unified Modelling Language (Figure 1) as proposed by Sommerville¹⁷, which consists of use case diagrams, activity diagrams, and class diagrams.

We constructed two types of "Use case diagram", namely "Use case for user" consisting of four cases (Article, Consulting, Choose Symptoms and Consulting Result); and "Use case for expert" consisting of three cases (Symptoms, Diseases, and Relation). The use case describes the functions of the ES interacting with user and expert. The activity diagram illustrates the flow of various activities being designed in the ES, i.e. how the flow starts, the decision that might occur, and the flow end. The activity diagram also describes parallel processes that might occur in some executions. In this ES, we build four data stores (Expert, Symptoms, Relation, and Diagnosis) in the class diagram. The ESforRPD2 application uses four datasets, namely disease- and symptoms-data, knowledge base, and symptoms-disease-weight relationships table (Dataset 2). The construction of decision trees and forward-chaining tracing for diagnosing of rice plant diseases in the ES is shown in Figure 2.

ESforRPD2 is the first version of ES (in a bilingual interface that combines both English and Indonesia language) to make it user-friendly for Indonesian users. Users use a consultation page to choose the symptoms of the rice plant. The ES performs the calculation process to obtain the trust level using the Dempster-Shafer method¹⁸. The user page (Figure 3a) is the main web page for users without logging in. In the user page, there is also a home menu that displays articles about ES, rice plant diseases, and the Dempster-Shafer method. The consultation page starts the user consultation about the disease of rice plants (Figure 3b). The ES will provide an output as a display showing the symptoms, diagnosis of disease and the confidence level (Figure 3c).

Operation

The ESforRPD2 application is developed using CPU with specifications of Intel Core i3, 4GB RAM, and 300GB HDD. The same specification of CPU is needed to operate this application.




Figure 1. a. Use case diagram of user. b. Use case diagram of expert.




Figure 1c. Activity diagram of ESforRPD2 system application.




Figure 1d. Class diagram of ESforRPD2 system application.

Uses case

The ESforRPD2 application was tested applying symptom-data inputs by clicking the symptoms selected (Figure 5b). In a single test using the case of four symptom-data inputs selected, namely (i) Spots on leaf midrib, (ii) Little spots are dark brown or slightly purple rounded shape, (iii) Spots on oval-shaped leaves and evenly distributed on the leaf surface, (iv) The size of spots is 2–10 mm long and 1 mm wide, a display of diagnosis page (Figure 3c) will appear following clicking of the “submit diagnose” button. The diagnosis page shows the confidence level. In this case test, the ES gave the sensitivity of disease type detection of 91%.

16 tests in row were conducted using randomly selected symptoms by user in the ES. The results were approved by the two experts. In total, 14 diagnosis (87.5%) of the 16 results showed by the ES were justified by the two experts (Table 1).

Discussion

The ESforRPD2 application is showing good reliability. By applying 16 tests, the ESforRPD2 showed a level of performance of 87.5% (Table 1) following justification to two rice plants diseases experts. The performance of the ESforRPD2 during validation was the expected high-performance level of plant diseases diagnosis by the expert system. This performance is much higher than the performance of ES for Chili pepper pest diagnosis invented by Agus *et al.*¹⁶. However other Expert System could show excellent performance of 98.38%¹⁹, this evidence advice that the performance of ESforRPD2 could be improved in the next study.

Currently, ESforRPD2 has only been tested with data from the Samarinda region. In a future study, we will use data from other regions of East Kalimantan, which have the same climate (tropical rainforest) and soil character as the Samarinda region.




Figure 2. Decision tree and forward chaining tracing.





Figure 3a. User main page.



Figure 3b. Consultation page.



BERANDA KONSULTASI MASUK TENTANG BANTUAN

Hasil Diagnosa

Gejala Terpilih

No	Nama Gejala
1	Bercak pada pelepah daun
2	Bercak muda berwarna coklat gelap atau sedikit ungu, bentuknya membulat
3	Bercak pada daun berbentuk oval dan merata di permukaan daun
4	Ukuran bercak, panjang 2-10mm dan lebar 1 mm

Tampilkan Perhitungan

Berdasarkan gejala yang terpilih maka diagnosa paling akurat adalah :

Bercak Coklat/Brown Spot. (*Helminthosporium oryzae*/*Drechslera oryzae*)

Dengan Tingkat Kepercayaan 91%.

Cara Pengendalian

Copyright © 2016 | SKRIPSI | Muhd Ihsan - 1207055026

Figure 3c. Diagnosis results page.

Table 1. System testing with expert justification.

Test No.	Experts Justification (English/Indonesian)	Results Diagnosis of ESforRPD2 (English/Indonesian)	Results
1	Blast/Blas	Blast/Blast	Suitable
2	Brown Spot (<i>Bercak Coklat</i>)	Brown Spot (<i>Bercak Coklat</i>)	Suitable
3	Narrow Brown Spot (<i>Bercak Coklat Sempit</i>)	Narrow Brown Spot (<i>Bercak Coklat Sempit</i>)	Suitable
4	Sheath Bligh (<i>Hawar Pelepah</i>)	Sheath Bligh (<i>Hawar Pelepah</i>)	Suitable
5	False Smut (<i>Noda Palsu/Gosong Palsu</i>)	False Smut (<i>Noda Palsu/Gosong Palsu</i>)	Suitable
6	Grassy Stunt (<i>Kerdil Rumput</i>)	Grassy Stunt (<i>Kerdil Rumput</i>)	Suitable
7	Bacterial leaf blight (<i>BLB-Kresek Hawar Daun</i>)	Bacterial leaf blight (<i>BLB-Kresek Hawar Daun</i>)	Suitable
8	Tungro (<i>Tungro</i>)	Tungro (<i>Tungro</i>)	Suitable
9	Blast (<i>Blas</i>)	Blast (<i>Blas</i>)	Suitable
10	Brown Spot (<i>Bercak Coklat</i>)	Brown Spot (<i>Bercak Coklat</i>)	Suitable
11	Narrow Brown Spot (<i>Bercak Coklat Sempit</i>)	Blast/ <i>Blas</i>	Unsuitable
12	Sheath Bligh (<i>Hawar Pelepah</i>)	Blast/ <i>Blas</i>	Unsuitable
13	False Smut (<i>Noda Palsu/Gosong Palsu</i>)	False Smut (<i>Noda Palsu/Gosong Palsu</i>)	Suitable
14	Grassy Stunt (<i>Kerdil Rumput</i>)	Grassy Stunt (<i>Kerdil Rumput</i>)	Suitable
15	Bacterial leaf blight (<i>BLB-Kresek Hawar Daun</i>)	Bacterial leaf blight (<i>BLB-Kresek Hawar Daun</i>)	Suitable
16	Tungro (<i>Tungro</i>)	Tungro (<i>Tungro</i>)	Suitable

In addition, we will test data from other regions in Indonesia, which have a different climate. Newbery *et al.*²⁰ showed that different climate conditions affect symptoms of arable crop disease; therefore, the ESforRPD2 will need continuous evaluation because climate change effects²¹.

Consent

Written informed consent was obtained from the two experts for participation in the study.

Software availability

Software application is available from: <http://esforrp2.blog.unmul.ac.id>.

Source code: <https://github.com/fahrulagus/paper>.

Archived source code as at time of publication: <https://doi.org/10.5281/zenodo.1490641>²²

License: GNU GPL v3.0

Data availability

Zenodo: Knowledge base for rice plant disease diagnosis, <https://doi.org/10.5281/zenodo.1490658>²³

Extended data

Zenodo: Dataset for rice plant diseases expert interview, <http://doi.org/10.5281/zenodo.1953383>²⁴

Data are available under the terms of the CC BY 4.0 Attribution International License (CC BY 4.0)

Acknowledgements

The authors are grateful to both experts in this research, the Rector of Mulawarman University and Islamic Development Bank Project.

References

- Jagan Mohan K, Balasubramanian M, Palanivel S: **Detection and recognition of diseases from paddy plant leaf images.** *Int J Comput Appl.* 2016; **144**(12): 34–41.
[Publisher Full Text](#)
- Chapuis E, Besnard G, Andrianasetra S, *et al.*: **First report of the root-knot nematode (*Meloidogyne graminicola*) in Madagascar rice fields.** *Australas Plant Dis Notes.* 2016; **11**(1): 32.
[Publisher Full Text](#)
- Qudsia H, Akhter M, Riaz A, *et al.*: **Comparative efficacy of different chemical treatments for paddy blast, brown leaf spot and bacterial leaf blight diseases in rice (*Oryza Sativa L.*).** *Appl Microbiol Open Access.* 2017; **3**(3).
[Publisher Full Text](#)
- Kulmitra AK, Sahu N, Kumar VBS, *et al.*: **In vitro evaluation of bio-agents against *Pyricularia oryzae* (Cav.) causing rice blast disease.** *Agric Sci Dig - A Res J.* 2017; **37**(3): 98–101.
[Reference Source](#)
- Todd BS: **An introduction to expert systems.** Issue 95, Oxford University Computing Laboratory, Programming Research Group; 1992.
[Reference Source](#)
- Turban E, Frenzel LE: **Expert systems and applied artificial intelligence.** Prentice Hall Professional Technical Reference; 1992.
[Reference Source](#)
- Lucas PJF, van der Gaag LC: **Principles of expert systems.** Amsterdam: Addison-Wesley; 1991.
[Reference Source](#)
- Gaines BR: **Designing expert systems for usability.** *Knowl Creat Diffus Util.* 1986; 1–40.
[Reference Source](#)
- Gudu J, Gichoya D, Nyongesa P, *et al.*: **Development of a medical expert system as an expert knowledge sharing tool on diagnosis and treatment of hypertension in pregnancy.** *Int J Biosci Biochem Bioinforma.* 2012; **2**(5): 297–300.
[Publisher Full Text](#)
- Abu Naser SS, Ola AZA: **An expert system for diagnosing eye diseases using clips.** *Theor Appl Inf Technol.* 2008; 923–930.
[Reference Source](#)
- Ayangbekun OJ, Jimoh IA: **Expert system for diagnosis neurodegenerative diseases.** *Int J Comput Inf Technol.* 2015; **4**(4): 694–698.
[Reference Source](#)
- Ayangbekun OJ, Bankole FO: **An expert system for diagnosis of blood disorder.** *Int J Comput Appl.* 2014; **100**(7): 975–8887.
[Reference Source](#)
- Divayana DGH: **Utilization of cse-ucla model in evaluating of digital library program based on expert system at universitas teknologi Indonesia: a model for evaluating of information technology-based education services.** *J Theor Appl Inf Technol.* 2017; **95**(15): 3585–3596.
[Reference Source](#)
- Arias-Aranda D, Castro JL, Navarro M, *et al.*: **A fuzzy expert system for business management.** *Expert Syst Appl.* 2010; **37**(12): 7570–7580.
[Publisher Full Text](#)
- Ihsan M, Agus F, Khairina DM: **Penerapan metode Dempster Shafer untuk sistem deteksi penyakit tanaman padi.** *Prosiding Seminar Ilmu Komputer dan Teknologi Informasi.* 2017; **2**(1).
[Reference Source](#)
- Agus F, Wulandari HE, Astuti IF: **Expert system with certainty factor for early diagnosis of red chili peppers diseases.** *JALS.* 2017; **2**(2): 52–66.
[Reference Source](#)
- Sommerville I: **Software Engineering.** 10th Edition. Pearson; 2016.
[Reference Source](#)
- Maseleno A, Mahmud Hasan M: **Skin infection detection using Dempster-Shafer theory.** In: *2012 International Conference on Informatics, Electronics and Vision, ICIEV 2012.* 2012.
[Publisher Full Text](#)
- Sabzi S, Abbaspour-Gilandeh Y, Garcia-Mateos G: **A fast and accurate expert system for weed identification in potato crops using metaheuristic algorithms.** *Comput Ind.* 2018; **98**: 80–89.
[Publisher Full Text](#)
- Newbery F, Qi A, Fitt BD: **Modelling impacts of climate change on arable crop diseases: progress, challenges and applications.** *Curr Opin Plant Biol.* 2016; **32**: 101–109.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Xu C, Wu W, Ge Q: **Impact assessment of climate change on rice yields using the ORYZA model in the Sichuan Basin, China.** *Int J Clim.* 2018; **38**(7): 2922–2939.
[Publisher Full Text](#)
- fahrulagus, Fajar MI: **fahrulagus/paper: ESforRPD2 (Version V.10).** Zenodo. 2018.
<http://www.doi.org/10.5281/zenodo.1490641>
- Agus F, Ihsan M, Khairina DM, *et al.*: **Knowledge base for rice plant disease diagnosis.** [Data set]. Zenodo. 2018.
<http://www.doi.org/10.5281/zenodo.1490658>
- Agus F, Ihsan M, Khairina DM, *et al.*: **Dataset for rice plant diseases expert interview.** [Data set]. Zenodo. F1000Research. 2018.
<http://www.doi.org/10.5281/zenodo.1953383>

Open Peer Review

Current Peer Review Status:  

Version 3

Reviewer Report 14 August 2024

<https://doi.org/10.5256/f1000research.168667.r302069>

© 2024 Marimin M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Marimin Marimin

Department of Agricultural Industrial Technology, Faculty of Agricultural Technology, IPB University (Bogor Agricultural University), Bogor, Indonesia

I have read the newly revised version of the article. The authors have addressed all of my comments. Therefore I have no objection to approving this article to be indexed at the scopus.

Competing Interests: No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 2

Reviewer Report 22 May 2020

<https://doi.org/10.5256/f1000research.19990.r59359>

© 2020 Marimin M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Marimin Marimin

Department of Agricultural Industrial Technology, Faculty of Agricultural Technology, IPB University (Bogor Agricultural University), Bogor, Indonesia

- In the last section of abstract should be added that the system also provide suggestion for handling the identified disease.
- The interface of the implemented system is in Indonesian, It will be better beside the

- Indonesian, it should be available also in English.
- The data used is considered old, and only in one year, 2016. It will be better if new data were added and considered, such as in 2017, for better accuracy. Moreover, information on the experts contribute in the system development should be described, how many experts, expert qualification and the knowledge elicitation procedure should be described.
 - In Expert system development there two concerned, software development and knowledge based development. Waterfall model used for software development is reasonably described. However, the knowledge based development is not described.
 - The developed system used rube based which has drawback in maintenance difficulties due to the exponential grow of rules when some variables are added. Why not use fuzzy rule based or at least added in the discussion section for future enhancement?
 - Discussion on how the disease are determined and the suggestion are provided should be added in the discussion section.

Is the rationale for developing the new software tool clearly explained?

Yes

Is the description of the software tool technically sound?

Yes

Are sufficient details of the code, methods and analysis (if applicable) provided to allow replication of the software development and its use by others?

Partly

Is sufficient information provided to allow interpretation of the expected output datasets and any results generated using the tool?

Partly

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: INtelligence decision support system and expert systems, Intelligence supply chain management.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 25 Jun 2024

Fahrul Agus

Reviewer 2: In the last section of abstract should be added that the system also provide suggestion for handling the identified disease.

Response: We appreciate your significant contribution. In the final section of the abstract, we will include further details, stating that the system also offers recommendations for the management of diagnosed illnesses.

Reviewer 2: The interface of the implemented system is in Indonesian, It will be better beside the Indonesian, it should be available also in English.

Response: Thank you for your valuable comments. We have developed a bilingual interface that combines both English and Indonesian languages. The functionalities are accessible in English, while the UI remains accessible in Indonesian. We developed this to improve accessibility for a wider demographic.

Reviewer 2: The data used is considered old, and only in one year, 2016. It will be better if new data were added and considered, such as in 2017, for better accuracy. Moreover, information on the experts contribute in the system development should be described, how many experts, expert qualifications, and the knowledge elicitation procedure.

Response: I appreciate your perceptive reply. We recognize the importance of integrating up-to-date data and will strive to incorporate 2017 data in order to improve precision. Despite the use of outdated data, this research remains relevant to identifying rice plant diseases.

Reviewer 2: In Expert system development there two concerned, software development and knowledge based development. Waterfall model used for software development is reasonably described. However, the knowledge based development is not described.

Response: I appreciate your valuable input. We value your acknowledgement of the software development process employing the waterfall approach. We have explained knowledge-based development by stating that the construction of this system utilizes the Dempster-Shafer technique.

Reviewer 2: The developed system used rule based which has drawback in maintenance difficulties due to the exponential grow of rules when some variables are added. Why not use fuzzy rule based or at least added in the discussion section for future enhancement?

Response: I appreciate your perceptive reply. We acknowledge the maintenance difficulties that arise from rule-based systems as a result of the rapid expansion of rules. We will take into account your recommendations to investigate the potential of fuzzy rule-based systems for future enhancements.

Reviewer 2: Discussion on how the disease are determined and the suggestion are provided should be added in the discussion section.

Response: I express my gratitude for your perceptive suggestion. In the sentence "The construction of decision trees and forward-chaining tracing for diagnosing rice plant diseases in the ES is shown in Figure 2," we have provided a comprehensive explanation of the process of identifying problems and providing the suggestion.

Competing Interests: No competing interests were disclosed.

Author Response 25 Jun 2024

Fahrul Agus

We appreciate your effort in reviewing our application and verifying its adherence to scientific standards. We highly appreciate your experience and greatly respect your input. We recognize the reservations you have specified and have addressed any feedback you have given. We also anticipate that you will cancel your reservation.

Competing Interests: No competing interests were disclosed.

Reviewer Report 01 March 2019

<https://doi.org/10.5256/f1000research.19990.r44749>

© 2019 Fang Y. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Yi Fang 

Nano Electrochemistry Laboratory, College of Engineering, University of Georgia, Athens, GA, USA

After the language revision and then using the correct terminologies, I agree that the manuscript should be indexed.

Is the rationale for developing the new software tool clearly explained?

Partly

Is the description of the software tool technically sound?

Partly

Are sufficient details of the code, methods and analysis (if applicable) provided to allow replication of the software development and its use by others?

Partly

Is sufficient information provided to allow interpretation of the expected output datasets and any results generated using the tool?

Partly

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: electrochemistry, plant diseases, biosensors, sensor

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 24 January 2019

<https://doi.org/10.5256/f1000research.18205.r43488>

© 2019 Fang Y. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Yi Fang 

Nano Electrochemistry Laboratory, College of Engineering, University of Georgia, Athens, GA, USA

The author applied Expert System (ES) for rice plant disease and diagnosis; the background information and introduction is sufficient and well organized. The entire manuscript is also presented well. However, the author used the word “accuracy” which is not quite a scientific term. If “accuracy” is defined as sensitivity of the method, how about the specificity of the method? If a method has low specificity, it may not be able to solve the problem from false positive. For other comments, please see below:

- Page 1: Change “is the lack of knowledge of farmers on early symptoms...” to “is that farmers lack of knowledge of early symptoms...”.
- Page 1: “accuracy of 87.5%” accuracy is not a scientific terminology, do you refer to sensitivity or specificity?
- Page 3: change “... education, and business, including agriculture, problems” to “...education, business, and agriculture problems.”
- Page 3: please change to “Waterfall Paradigm was applied in designing this ES.”
- Page 5: “In this case test, the ES gave the accuracy of disease type detection of 91%”. Do you refer to sensitivity? Please also try to apply this comment to the other “accuracy” you mentioned in the manuscript.

Is the rationale for developing the new software tool clearly explained?

Partly

Is the description of the software tool technically sound?

Yes

Are sufficient details of the code, methods and analysis (if applicable) provided to allow

replication of the software development and its use by others?

Yes

Is sufficient information provided to allow interpretation of the expected output datasets and any results generated using the tool?

Yes

Are the conclusions about the tool and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: electrochemistry, plant diseases, biosensors, sensor

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 12 Feb 2019

Fahrul Agus

We agree with your judgment regarding the term of accuracy. We meant the accuracy is the sensitivity, for that reason we change the term accuracy to sensitivity. Regarding the term of specificity, we explain that this system has high specificity for rice plants because all data used in constructing the algorithm were collected specifically for rice plant diseases.

Competing Interests: No competing interests were disclosed.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research

Copyright: © 2024 Agus F et al. This work is published under <https://creativecommons.org/licenses/by/4.0/>(the “License”). Notwithstanding the ProQuest Terms and Conditions, you may use this content in accordance with the terms of the License.